

## Steroid Emergency Card (Adult)



### IMPORTANT MEDICAL INFORMATION FOR HEALTHCARE STAFF

THIS PATIENT IS PHYSICALLY **DEPENDENT** ON DAILY STEROID THERAPY as a critical medicine. It must be given/taken as prescribed and never omitted or discontinued. Missed doses, illness or surgery can cause adrenal crisis requiring emergency treatment.

Patients not on daily steroid therapy or with a history of steroid usage may also require emergency treatment.

Name.....

Date of Birth ..... NHS Number .....

Why steroid prescribed .....

Emergency Contact .....

When calling 999 or 111, emphasise this is a likely adrenal insufficiency/Addison's/Addisonian crisis or emergency **AND** describe symptoms (vomiting, diarrhoea, dehydration, injury/shock).

### Emergency treatment of adrenal crisis

- 1) **Immediate** 100mg Hydrocortisone i.v. or i.m. injection.  
**Followed by** 24 hr continuous i.v. infusion of 200mg Hydrocortisone in Glucose 5% **OR** 50mg Hydrocortisone i.v. or i.m. qds (100mg if severely obese).
- 2) Rapid rehydration with Sodium Chloride 0.9%.
- 3) Liaise with endocrinology team.



Scan here for further information or search  
<https://www.endocrinology.org/adrenal-crisis>